

EXCEPTIONAL COLOR, EXTRAORDINARY VALUE





Engineered and built for durability and consistent print accuracy, vibrancy and most importantly white ink reliability!!!

Introducing the new DTG KIOSK 3

Designed to meet the needs of all embroiderers, screen-printers, color studios, kiosk operators and garment decorators world wide, a new and reliable digital direct to garment printer from DTG.

The DTG brand globally is well known as a true innovator in garment decorating technology and the new DTG Kiosk 3 is the culmination of DTG's ongoing

research and development for the garment decoration industries.

A 13" (320mm) wide printer that incorporates the patent pending WIMS (white ink management system) and a pressurized constant ink feed re-circulation system.

WIMS (white ink management system)

WIMS finally offers a manageable white ink production process that delivers superior detail, vibrancy and all the while offering a level of consistency unheard of in other direct to garment printers.

With an all new ink repelling coated piezo printhead, superior reliability and long term durability is now a standard feature on the DTG Kiosk 3, and is further supported by a constant pressurized ink delivery system for coloured inks as well.

The DTG Kiosk 3 is a ground up, high print speed, accurate direct to garment digital printer that incorporates precise engineering solutions that just work!!!

HIGH PERFORMANCE PRINTS

Utilizing our latest high performance piezo print head technology, the DTG Kiosk 3 is among the fastest direct to garment printers in the industry, if not the fastest in its class available today.

Average print resolutions of 360 x 720dpi for one pass printing on to light colored textiles will generate staggering print quantities per hour. (Dark garments needing white ink will require higher saturation of 1440 x 720dpi).





All new 8 channel piezo Print Head with ink repelling coating and constant re-circulation and pressurization.

- Print Head Piezo capable of handling 8 colours in either Dual CMYK or 4 channels of white plus CMYK.
- A Teflon coated high performance print head with 180 nozzles per channel.
- Adjustable pressure manifold coupled with pressure release damper/filter throughout the entire ink path.

With less clogging and ink starvation the DTG Kiosk 3 delivers superior prints with outstanding color vibrancy. The DTG Kiosk 3 is designed and optimized for superior garment decoration.

DTG inks & rips

In order to ensure vibrant color correct prints, the DTG Kiosk 3 utilizes advanced wash fast pigmented

inks and color enhancing RIPs.

Use less ink by laying down the right amount of ink and exactly where you want it, it's simple.

With thousands of installations worldwide, the DTG RIPs and DTG ink series are the benchmark for garment decorators worldwide.





The DTG garment pallet system is truly unique on the DTG Kiosk 3 and can be optioned to decorate two garments at a time with our proprietary extension roller system. An optional 2 pallet assembly system is also available offering even greater flexibility.

Simply drag and drop and place your designs from most file formats into our DTG-RIP templates - artwork is easily positioned with pin-point registration and achieved via a unique conveyor garment loading system.

The micro servo motor driven conveyor system is at the heart of the DTG Kiosk 3 and produces perfect dot registration accurate to 0.017mm offering unprecedented superior commercial grade reliability.

It's flexible - with your DTG Kiosk 3 you can load garments that will auto register for perfect white and color prints time and again and for ease of use finished garments can either be returned to the front of the machine (if you are operating in a tight area) or can be ejected to the rear of the printer for faster loading and unloading and all round production throughput.



EXTENSION ROLLERS - Optional Extension Rollers allow for 2

standard shirt prints per pass with optional 4 shirt pallet also available.

WIMS (WHITE INK MANAGEMENT SYSTEM)

With the patent pending White ink Management System, head clogging and maintenance downtime is reduced considerably.

The DTG-WIMS is the final answer to white ink prints.

By re-circulation of ink via a pressurized peristaltic pump system coupled with pressure release filters and dampers your white ink is ready to print when you are. We have reduced the maintenance and downtime currently seen in the industry and the DTG Kiosk 3 is the best all-round white ink print system in the world market today.

APCP (ACTIVE PRINT HEAD COLLISION PROTECTION)

By incorporating precision culminated light beam detection sensors, anything getting in the way of the print path is automatically detected, and the active drive system will drop the pallet while printing, ensuring that head strikes are drastically reduced while still maintaining your prints.



CONTROL PANEL - LED precision membrane control panel.



BUTTONS - Micro-step platen height adjustment.













With smart engineering and easy to use operator features you now have a final solution for reliable prints time and again.



Better engineered ink management, brighter prints, faster production, more flexibility and easier to use without the maintenance levels currently experienced in the market.



The DTG Kiosk 3 - inkjet garment printing just got a whole lot easier!!



Come see the all new DTG Kiosk 3 in action. We are sure that profitability, reliability and superior vibrant print results will excite your customers.



DTG - Because your customers expect more and so do you!



www.dtgdigital.com

Specifications



Printhead

Piezo 180 nozzles per channel



Colour

8 (Dual CMYK or 4* White plus CMYK)



Print Area

Max 13" x 17"~ 32"(330 x 430 ~ 810mm)



Drive

Processor driven conveyor



DTG inks - Piezo compatible pigments



Inks Delivery

Bottle - pressurised CYMK Bottle - pressurised re-circulation - white

(WIMS)



Operating System

Vista and XP

RIP - DTG Rip Pro



Pallets

1 Adult (13" x 17") (330 x 430mm)

on one base

2 Adult (13" x 15") (330 x 380mm)

on one base ~ optional



Electrical

AC 110-240V, 50-60Hz

1/0A/110-120V

Consumption - 55W or less,

Standby 5W, Off 1W



Physical Dimensions

33"(W) x 24"(H) x 48"(L)

831(W) x 610(H) x 1219(L)mm

Weight - 80lb (34.4Kg)

(boxed weight will vary)

BROUGHT TO YOU BY



Impression Technology Australia

23/9 Powells Road Brookvale NSW 2100 Australia

Ph: ++61 2-9905 0420 Fx ++61 2-9907 4744 Email: info@dtgdigital.com Impression Technology Europe

Meden Road,

Boughton Industrial Estate South, Boughton

Nottinghamshire NG22 9ZD England

Phone: ++ 44 1623 861173

Fax: ++ 44 1623 825143

Email: info@impressiontechnologyeurope.com